

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	555	alexa with fluor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:31
S2	627	alexa with fluor (alexa with "647") (alexa?647) (alexa647)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:33
S3	1138402	absorb absorption excite excitation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:33
S4	686921	emission emit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:34
S5	56343	S3 with S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:34
S6	7948	S5 with radiation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:34
S7	38	S6 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:39
S8	11773	independent with concentration	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:39
S9	139	S8 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 17:01
S10	2	("5654419").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 17:08
S11	2356	ratiometric	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 17:08

S12	521	S11 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 17:15
S13	167	S11 and S5 and chromophore	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/14 17:15
S15	45	S11 and S5 same chromophore	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 14:25
S16	2463	ratiometric ratio?metric	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 14:26
S17	221	S16 and (fret (fluorescence near resonance near energy near transfer))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 14:26
S18	2463	ratiometric ratio?metric	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 14:59
S19	221	S18 and (fret (fluorescence near resonance near energy near transfer))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 15:00
S20	99	S19 and chromophore	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 17:10
S21	8398	fret (fluorescence near energy near transfer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 17:14
S22	11773	concentration with independent	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 17:14
S23	281	S22 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 17:15
S24	93	S23 and chromophore	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 17:15

S25	2	("20010014850").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/15 17:35
S26	783	array with control with spot	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 18:31
S27	57	S26 and fret	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 18:55
S28	405	control with fret	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 18:40
S29	345	control with ratio and fret	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 18:41
S30	535	detection with viability	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 18:41
S31	1260	detection with validity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 18:41
S32	146	S31 with control	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 18:41
S33	1	S32 and fret	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 18:41
S35	2463	ratiometric ratio?metric	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 18:55
S36	16	S35 same chromophore	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 18:57
S37	0	chromophore same control same (independent with analyte with concentration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 18:57

S38	42	ratio same (independent with analyte with concentration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 19:05
S39	43	(calibrate calibration) with fret	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 19:32
S40	4	fret and ((measure measuring) with (crosstalk cross?talk))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 20:11
S41	0	express with fluorophore with individual\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 19:40
S42	105	fluorophore with individual\$3 and fret	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 19:50
S43	26	fluorophore with individual\$3 and fret and (crosstalk cross?talk)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 20:11
S44	282	fret and (crosstalk cross?talk)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 20:09
S46	1339	(measure measuring) with (crosstalk cross?talk)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 20:09
S48	26	fluorophore with individual\$3 and fret and (crosstalk cross?talk crosstalking cross?talking)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 20:11
S49	4	fret and ((measure measuring) with (crosstalk cross?talk crosstalking cross?talking))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 20:23
S50	284	fret and (crosstalk cross?talk crosstalking cross?talking)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 20:25
S51	117	individual\$4 with (fluorophore chromophore) and fret	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 20:25

S52	26	fret and (crosstalk cross?talk crosstalking cross?talking) and individual\$4 with (fluorophore chromophore)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 20:26
S53	2	("6197520").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/15 20:48
S55	0	2003/0059811	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 20:48
S56	2	"20030059811"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 13:40
S57	967	background with signal with comparison	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 13:40
S58	1363	background with signal with (comparison compare)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 13:40
S59	33	background with signal with (comparison compare) and fret	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 13:54
S60	433	background with control and fret	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 13:55
S61	173	background with control same fluor\$8 and fret	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:16
S62	173	background with control same fluor\$8 and fret	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:30
S63	1	background with internal with control same fluor\$8 and fret	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:17
S64	7	background with dye with control same fluor\$8 and fret	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:18

S65	237	fret and (single same pair same donor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:31
S66	89	fret and (single with donor) same (pair with donor with acceptor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:32
S67	11	fret and (single near donor) same (pair with donor with acceptor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:35
S68	5	fret and (single adj acceptor) same (pair with donor with acceptor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:37
S69	4	control with background with signal with fluorophore	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:40
S70	14	control with background with fluorophore	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:42
S71	433	control with background and fret	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:43
S72	2	second with chromophore with independent with concentration	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:44
S73	5	second with \$6phore with independent with concentration	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 15:10
S74	5	second with (\$6phore \$6chrome) with independent with concentration	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 15:09
S75	5	second with \$8phore with independent with concentration	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/16 15:10